

GRILL STATIONS







Roband Grill Stations

The modern, stylish Roband Grill Station is available in six or eight slice size models.

The Roband range sets the benchmark for commercial contact grills. The versatile unit rapidly toasts sandwiches, paninis and focaccias, in addition to producing beautifully seared and grilled tender meat, poultry and fish. Featuring elements embedded directly into smooth, high pressure die-cast aluminium plates, the cooking surface produces an even, extremely efficient heat transfer ensuring food is cooked rapidly with even colouration.

The Roband Grill Station truly is a must-have for cafés, restaurants, takeaways, sandwich shops or anywhere that toasting and / or grilling is required.





Grill Stations



Features

- Six or eight sandwich capacity
- Quality high pressure die-cast aluminium cooking plates with cast-in elements for efficient, directional and effective heat transfer
- Precise thermostat for controlling cooking temperature
- Even temperature distribution across each plate and between the top and bottom plates
- Ability to switch between top and bottom plate operation or bottom plate only operation
- A counter-balanced top plate and an arched handle makes operating the Grill Station easy
- Easy one-handed loading and unloading of food with the top plate capable of staying partially open at an approximate 45° angle
- Food quality and appearance is protected from compression by the counter balanced and self levelling top plate
- Plate spacers are available separately for very thin contents
- High splash guard with top plate always positioned over bottom plate ensuring grease and crumbs fall onto bottom plate

- A front positioned grease collection box collects grease and crumbs and is well-positioned for easy removal and cleaning
 - Small counter space requirement due to the elimination of a cumbersome back cable
 - Angled control panel for clear visibility of settings
 - 5 minute timer with warning bell
 - Includes one premium spatula
 - Optional ribbed top plate and / or non-stick coating
 - Optional non-stick Roband Grill Sheet & retainer clip keeps the plates clean, prevents food sticking and is removable, cleanable & replaceable
 - Optional side draining grease channel for high volume waste (model GC6 or GC8)





The Range



Non-stick options

GSA810S / GSA815S

8 slice, smooth plates

Non-stick coated

plates shown on

GSA815ST





GSA810R / GSA815R

8 slice, ribbed top plate

Roband Grill Sheet with clip shown on GSA610S (PGS605 & RC6)

All Roband Grill Stations are available with non-stick coated plates or the optional Roband Grill Sheet with clip.



Specifications

	MODEL	SLICES No.	PLATE COATING	TOP PLATE	POWER Watts	CURRENT Amps	DIMENSIONS w x d x h (mm)	BOTTOM PLATE DIMENSIONS w x d (mm)
ЭE	GSA610S	6	NIL	SMOOTH	2200	9.6	435 x 490 x 220	375 x 275
JWID.	GSA610R	6	NIL	RIBBED	2200	9.6	435 x 490 x 220	375 x 275
ORLD	GSA610ST	6	NON-STICK	SMOOTH	2200	9.6	435 x 490 x 220	375 x 275
MO	GSA610RT	6	NON-STICK	RIBBED	2200	9.6	435 x 490 x 220	375 x 275
NIT	GSA810S	8	NIL	SMOOTH	2300	10.0	560 x 490 x 220	500 x 275
ĕ.	GSA810R	8	NIL	RIBBED	2300	10.0	560 x 490 x 220	500 x 275
AUSTRAL	GSA810ST	8	NON-STICK	SMOOTH	2300	10.0	560 x 490 x 220	500 x 275
	GSA810RT	8	NON-STICK	RIBBED	2300	10.0	560 x 490 x 220	500 x 275
JE J	GSA815S	8	NIL	SMOOTH	2990	13.0	560 x 490 x 220	500 x 275
	GSA815R	8	NIL	RIBBED	2990	13.0	560 x 490 x 220	500 x 275
ORLI	GSA815ST	8	NON-STICK	SMOOTH	2990	13.0	560 x 490 x 220	500 x 275
Š	GSA815RT	8	NON-STICK	RIBBED	2990	13.0	560 x 490 x 220	500 x 275
Note: All bottom plates are smooth. Timer does not over-ride or control thermostat. Maximum height when top fully open is 580 mm. Grill Station Accessories Description								
Grill Station Accessories Description								
	Potainar Clin 2 Grill Shoot, those are used to keep the Grill Station plates clean during use. They are easily.							

Grill Station Accessories Description

- Retainer Clip & Grill Sheet these are used to keep the Grill Station plates clean during use. They are easily removed for washing. The sheet is also non-stick preventing the food from sticking to the plates.
- Side Draining Grease Channel this is designed to handle high volume of grease from cooked food. The Grease Channel drains into a collection vessel such as a small steam table pan.
- Rear Stand the Rear Stand is designed to raise the Grill Station rear so that grease and crumbs drain and collect in the forward positioned grease box.
- Plate Spacer various sizes are available and these are designed to ensure a consistent height is maintained between the top and bottom plates during operation. These are ideally suited to preparation of delicate products such as croissants.
- Aluminium Grill Pattern Plates Designed to sit between the Grill Station smooth plates and Grill Sheet with Clip, the Aluminium Grill Pattern Plates produce a crosshatched char grill style pattern on the food being produced.

Accessories

SUITS GRILL STATION MODELS
GSA610
GSA810 & GSA815

SHEET RETAINER CLIP MODEL NUMBER	ROBAND GRILL SHEET (PTFE) (NON-STICK) MODEL NUMBER		
RC6	PGS605 (5 pack QTY) PGS610 (10 pack QTY)		
RC8	PGS805 (5 pack QTY) PGS810 (10 pack QTY)		


SIDE DRAINING GREASE CHANNEL
GC6
GC8


PREMIUM SPATULA (ADDITIONAL)
SP12 (12 pack)
SP12 (12 pack)




Dimensions









Optional removable Grill Sheet with Retainer Clip



Premium Spatula

One is included with each machine. Also available separately.

Side Draining Grease Channel



Spacers available in various sizes to suit





Aluminium Grill Pattern Plate



Showing easy installation on a Grill Station top plate



Showing easy installation on a Grill Station bottom plate



PLATE SPACER
GSPS625
GSPS635
GSPS645
GSPS825
GSPS835
GSPS845

ALUMINIUM GRILL PATTERN PLATE	A CONTRACTOR
GS6-P1 (a set of 2)	
GS8-P1 (a set of 2)	







Roband Australia Pty Ltd 1 Inman Road,

Cromer, NSW 2099 Australia Tel: +61 2 9971 1788 Fax: +61 2 9971 1336 Email: sales@roband.com.au

Roband (Europe) Ltd Haygarth Park, Blaenau Ffestiniog Gwynedd, North Wales LL41 3PF, UK Tel: +44 (0) 1766 830 456 Email: info@robandeurope.com

All standard Roband Grill Stations are designed to run at 220-240V per phase, 50Hz.

All dimensions are nominal only. All information contained in this brochure should serve as a guide only and is subject to change without notice due to constant research and development.

© 2019 Roband Australia Pty. Ltd. ACN 003 049 063 ABN 34 864 327 105

® is a registered trademark of Roband Australia Pty. Ltd.

Distributor:			

0719 www.roband.com.au